Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("(thermalwith(accumulatororstorage)withserpentinewithexchanger).clm.").PN.	US-PGPUB	OR	OFF	2005/09/28 17:20
L2	1	(thermal with (accumulator or storage) with serpentine with exchanger).clm.	US-PGPUB	OR	ON	2005/09/28 17:20
L3	0	(thermal with (accumulator or storage) with serpentine with exchanger with graphite).clm.	US-PGPUB	OR	ON	2005/09/28 17:21
L4	0	(thermal same (accumulator or storage) same serpentine same exchanger same graphite).clm.	US-PGPUB	OR	ON	2005/09/28 17:21
L5	1	(thermal same (accumulator or storage) same serpentine same exchanger and graphite).clm.	US-PGPUB	OR	ON	2005/09/28 17:21
L6	1	(thermal and (accumulator or storage) and serpentine and exchanger and graphite).clm.	US-PGPUB	OR	ON	2005/09/28 17:22
L7	5	(thermal and (accumulator or storage) and serpentine and exchanger).clm.	US-PGPUB	OR	ON	2005/09/28 17:25
L8	5	(thermal and (accumulator or storage or absorber) and serpentine and exchanger).clm.	US-PGPUB	OR	ON	2005/09/28 17:25